



Instituto Politécnico de Castelo Branco
Escola Superior Agrária

**Effect of plant volatiles in *Cydia molesta*
responses to pheromone
(Quantity and qualitatively)**

Alexandre Levi Garcia Mourão

Engenharia Agronómica – Ramo Agronomia

Supervisors:

Dr. José Pereira Ribeiro Coutinho (ESA)

Dr. César Gemenó Marin (University of Lleida)

Castelo Branco, January 2011.

Acknowledgements

“Cada uma das coisas que vivemos depende do nosso pensamento e daquilo que escolhemos. Para alguns, a Vida é uma grande oportunidade para crescer e desfrutar; para outros, é um grande sacrifício e uma luta contínua” (Os Sete princípios da Felicidade).

“Each one of the things we live depends on our thinking and what we choose. For some, Life is a great opportunity to grow and enjoy, for others it is a great sacrifice and a continuing struggle.”

É graças a TODOS os que estão no meu coração que VIVO desfrutando e crescendo e é por isso que lhes venho agradecer desta forma.

It's thanks to ALL who are in my heart that I LIVE enjoying and growing and that's why I come to thank them this way.

Al Dr. César, mi tutor y amigo, por toda su dedicación, amistad e ayuda en todos los momentos.

Ao Professor José Coutinho, pelo apoio, amizade e disponibilidade constante.

Al Dr. Jesús, por su atención, consideración y ayuda.

Ao Gabinete de relações internacionais e pessoas envolvidas pela extraordinária oportunidade e apoio.

Aos meus amigos! A todos aqueles que não tenho de nomear porque sabem que estão e vão estar SEMPRE presentes na minha vida, na minha força, nos meus sorrisos, nas minhas lágrimas... no meu CORAÇÃO.

Als meus amics! Per a tots aquells que no tenen per nomenar perquè saben que són i sempre estarà present en la meva vida, la meva força, en els meus somriures, les meves llàgrimes ... en el meuCOR.

To my friends! To all those who do not have to name because they know that they are and will ALWAYS be present in my life, my strength, in my smiles, my tears ... in my HEART.

E por fim, à minha FAMÍLIA que tanto AMO, por tudo aquilo que me deixam aprender sem qualquer imposição, por terem orgulho em mim naquilo que sou e que me tenho tornado!

MUITO OBRIGADO!

Contents

Abstract	2
Resumo	1
1. Introduction	3
1.1 Studied Insect – <i>Cydia molesta</i>	6
1.1.1 Taxonomy	6
1.1.2 Biology	6
1.1.3 Species Description	9
2. Material and Methods	12
2.1. Rearing	12
2.2. Compounds	13
2.3 Testing the effect of the percentage of E8-12:Ac in the blend on male response in the wind tunnel	13
2.3.1. Treatments used in the wind tunnel test	13
2.3.2. Description of the wind tunnel and wind tunnel test procedure	14
2.3.3. Statistical analyses	17
2.4. Testing the optimal pheromone concentration in the field	17
2.4.1. Pheromone treatments and pheromone traps	17
2.4.2. Field Bioassays	18
3. Results and Discussion	21
3.1 Dose-response pheromone curve in the field (Quantitative Blend)	21
3.2 Effect of the percentage of E8-12:Ac in the blend	24
4. Conclusions	27
4.1 Dose-response pheromone curve in the field (Quantitative Blend)	27
4.2 Effect of the percentage of E8-12:Ac in the blend	27
4.3 General conclusion	28

Literature cited _____ 29

Attachments _____ 34

Abstract

Our work will focus on the effect of plant volatiles in *Cydia molesta* responses to pheromone. Volatiles emitted from host plants often synergism or enhance insect responses to suboptimal (under) sex pheromone doses quantity and qualitatively (pheromone and %E).

The first goal of our work consisted in established, in the field under natural circumstances, a pheromone dose-response curve to determine a suboptimal pheromone dose. To concretize this, an Orchard block of Peach and Nectarine trees was used to test male capture to delta traps, containing a range of dosages. The tested treatments were: Hexane, 1 µg, 10 µg, 100 µg, 1mg and 10 mg. We decide to use 1 mg as optimal and 100 µg as suboptimal for our experiment.

Previous data (laboratory) show that comparing the dose response in the field and in the laboratory the curves do not overlap. In the field a higher concentration is required to elicit responses.

According this mentioned conditions, we wondered if plant volatiles also synergize “off-blends” in under or over dose. Different proportions of (E)-8-dodecenyl acetate (E8-12:Ac) were tested in laboratory to verify which one was the optimal quantity in the complete pheromone blend ratio (2, 4, 6, 8, 10, 20, 30, 40, 50, 60, 70, 80, 90 and 100 ng). Results showed that 10 ng was the optimal quantity in ratio to our laboratory population.

We compare USA and Italian population of *Cydia molesta* and with this, we found that the curve response to %E E8-12:Ac of our Italian population is very different from the USA population. This can be explained by the fact that populations may be genetically different.

With this knowledge, biological control can became more efficient.

Key words: *Cydia molesta*, sex pheromone, pheromone dose-response curve, “off-blends”, (E)-8-dodecenyl acetate.